










# **POWER** FOR ADVENTURE

Experience the next level of toughness with the all-new TRITON. Its advanced engineering and ultra-tough features redefine the reliability and ruggedness of pickups. Get ready for a new adventure and lifestyle with the TRITON.



# POWERFUL, CONFIDENT, AND READY TO GO





# New 2.4L Turbo Diesel Engine

Experience powerful acceleration and responsive performance with 135kW power and 430N⋅m torque.



# DISCOVER ADVENTURE ON ANY ROAD

Go anywhere with best-in-class off-road performance, honed through rigorous testing and rallies in harsh conditions all around the world.



# Super Select 4WD-II

MITSUBISHI MOTORS' one and only Super Select 4WD-II system provides exceptional all-terrain performance with its four selectable modes, including 4H (full-time 4WD) that delivers great stability even on wet surfaces, and outstanding cornering performance even on dry pavement.

TITON

C/D LOCK	<b>2H</b> <sup>2WD</sup>		<b>4H</b> Full-time 4WD
C/D LOCK	<b>4HLC</b> Centre Diff Locked 4WD	C/D LOCK	<b>4LLC</b> Low Gear Centre Diff Locked 4WD



SNOW





# TOTAL CONFIDENC FROM TOTAL CONTROL

Braking Force


Direct Yaw Control

# Active Yaw Control [AYC]

The AYC system helps you precisely handle slippery roads with gravel and snow, turning the car just as you want – an exciting driving experience for those who enjoy sporty or off-road driving.

# Active Stability and Traction Control [ASTC]

ASTC applies brake force whilst cornering to maintain vehicle stability and optimise traction to prevent torque loss. The system adjusts engine output and applies brake force to spinning wheels as needed.



# Active Limited Slip Differential (Brake Control Type)

SUBISH

Helps prevent wheel spin on slippery roads by applying brake force to spinning wheels, ensuring better control and road grip.



1. Detect wheel slip ► 2. Apply the brake antial ds Is, 3. Generate drive torque


# FREEDOM TO EXPLORE THE NEXT FRONTLER


# Hill Start Assist [HSA]

HSA helps prevent rolling backward on steep slopes by maintaining braking force for up to two seconds after the brake is released. This helps ensure a safe start until the accelerator is applied.

# Hill Descent Control [HDC]

HDC applies brakes and maintains speed when travelling downhill, for safer steering without manual brake application. Activates at 2-20 km/h in automatic, and in 1st gear at 3-20 km/h in manual vehicles.







# **BUILT TO** GOANYWHERE

The chassis frame is built with high-tensile materials to withstand tough terrain and ensure reliable performance in any condition. It's the foundation of outstanding driving performance and ride comfort on any terrain.





# New Chassis Frame

# Completely Redesigned Suspension System

The completely redesigned front and rear suspension systems enhance driving performance and comfort by providing superior handling on various road types.



Front suspension

# EMPOWERS ANYJOURNEY

The interior is designed for comfort during long trips, with advanced technology and a thoughtfully crafted living space that empowers you to enjoy your ride, no matter where your journey takes you.



# 9-inch Infotainment System

Enjoy a stress-free and enjoyable time in the vehicle with the intuitive and convenient 9-inch infotainment system that comes with smartphone connectivity and an easy-to-see display.

# **Combination Meter**

The new 7-inch multi-information display puts all the necessary information in front of you, allowing you to easily understand the vehicle's status at a glance. The new meter display also makes recognition effortless.







•MAPS •MUSIC •PHONE •Siri •MESSAGES •APPS Note: Apple CarPlay is a trademark of Apple Inc., registered in the U.S. and other countries. For more information: www.apple.com/ios/carplay/



•MAPS •MUSIC •PHONE GOOGLE ASSISTANT •MESSAGES •APPS Note: Google, Google Assistant, Android, id Auto and other related marks are trademarks of Google LLC. For more information: www.android.com/auto/

# **SPACE TO** SHARE AND ENJOY



# Seat Comfort

Enjoy enhanced comfort during long rides with the newly designed seats inspired by our rally heritage. The seats provide excellent body support, allowing you to focus on driving and enjoy the journey.

# Upgraded Air Conditioning

Stay cool and comfortable even on hot days with the improved A/C system. The front A/C unit provides exceptional cooling performance to keep you refreshed during your drive. Plus, the rear air circulator keeps passengers comfortable with airflow adjustable to their personal preferences.







# **User-Friendly Components**

The interior is designed to enhance your driving experience with user-friendly components that are intuitive to use, with every detail crafted with your comfort and convenience in mind.







Glove-Friendly and Intuitive Air Conditioning Switches

# **Convenient Tech and Storage Solutions**

Make your drive convenient and enjoyable with an interior equipped with tech and storage solutions. Stay organised with ample storage space for all your items.



Smartphone Wireless Charger





Secure grip for fingers

Easy-to-Grip and Comfortable Steering Wheel

Soft-to-Touch and 3D-Shaped Intuitive Door Handles

**Rear USB Ports** (A&C Type)

Upper Glove Box

# THE ULTIMATE WORKHORSE THAT GETS THE JOB DONE





Single CAB

# **Big and Practical Cargo Space**

Easily carry all your essentials, including a Euro pallet, with the versatile cargo bed. It's designed to handle everything you need, and more.

# **Practical Features**



Wide Side Step Designed to provide slip-resistant footing for safe and easy entry and exit from the vehicle, even in wet or slippery conditions.



2x4 Lumber Attachment Easily divide your cargo space with the 2x4 lumber attachment.

Double CAB


Rear Bumper Corner Shape The rear bumper corner allows for more foot space when the tailgate is open, and it has the largest step area in its segment.

Rear Inner Hook Placed Low Low-placed rear inner hook allows for easy and secure tie-down of loads.

# PEACE OF MIND WITH ADVANCED SAFETY FEATURES

# Mitsubishi Motors Safety Sensing [MMSS]

MITSUBISHI MOTORS offers advanced safety features through MMSS, giving our customers peace of mind during every adventure and ensuring a safe return home.



# Forward Collision Mitigation system [FCM]


FCM can help detect vehicles and pedestrians and alert the driver with audio and visual warnings, as well as apply the brakes to avoid or reduce potential collisions.

## Lane Departure Warning [LDW]

LDW warns the driver with visual and audible alerts when the vehicle unintentionally crosses lane markings at speeds over 65km/h, using a windshieldmounted camera.


## Adaptive Cruise Control [ACC]

ACC uses advanced radar and camera technology to judge the distance to the vehicle ahead and automatically adjusts the car's speed to maintain the set driving distance.



### Blind Spot Warning [BSW] with Lane Change Assist [LCA]

Rear bumper radar sensors detect vehicles in blind spots on both sides. If a vehicle is detected whilst system warns through visual, the turn signal is on, an indicator blinks in the corresponding side mirror and a buzzer sounds.



#### **Rear Cross Traffic Alert** [RCTA]

When reversing, if radar sensors detect a moving vehicle, the audible, and side mirror alerts, helping to enhance safety and prevent potential collisions.

Note: The radar wave graphics are for illustrative purposes only and do not represent the actual sensor application. Drivers are fully responsible for their own safe driving. Please drive safely and do not rely solely on these systems whilst driving. Some equipment may vary by market. Please consult your local MITSUBISHI MOTORS dealer/distributor for details

eam
eam

# Automatic High-Beam [AHB]

Automatically switches headlights between low and high beam based on the presence of a vehicle ahead for safer and more comfortable night-time driving.



# **Connected Services**

MITSUBISHI CONNECT offers connected services for safe and convenient driving, accessible through a smartphone app.

## Safety

- Automatic Collision Notification
- SOS Emergency Assistance
- (eCall)
- Roadside Assistance

# Security

- Over-the-Air Update

(Firmware Update)

# Stolen Vehicle Assistance Remote Door Lock/Unlock Parental Control

# Comfort & Convenience

- Remote Climate Control
- Vehicle Status Report
- Information Assistance
- Car Finder (GPS)
- Mileage Tracker
- Remote Horn, Lights



## My MITSUBISHI CONNECT App

MITSUBISHI CONNECT services can be accessed through a smartphone app available on both Apple App Store and Google Play, providing easy access to all available services.

Note: Apple is a trademark of Apple Inc., registered in the U.S. and other countries and regions. App Store are a service mark of Apple Inc., registered in the U.S. and other countries and regions. Google Play is a trademark of Google LLC.

# CONNECTIVITY IN THE PALM OF YOUR HAND



# STRONGER. STURDIER. TOUGHER

There's no limit to how tough you can be. Reach new levels of toughness and make your TRITON even more capable - and truly your own.



C. Side Door Garnish

# Why Genuine Accessories?

We design and test our genuine accessories to seamlessly integrate with our vehicles for safety, functionality, and durability.

Our accessories comply with regional regulations and are available globally thanks to our strong development, procurement, and Japanese manufacturing tradition.



DESIGN

We design and develop our genuine accessories alongside our vehicles to ensure they harmoniously and seamlessly integrate with the vehicle's original design.



# SAFETY

We rigorously test all our genuine accessories to meet safety standards and ensure they work seamlessly with the vehicle's advanced safety equipment.



# DURABILITY

We test our genuine accessories under various conditions for durability, which is essential for safety. If any issues arise, we analyse them to improve both the accessories and the vehicle itself.

Note: These accessories are not covered by the vehicle warranty and are subject to the conditions of the accessory warranty. For warranty conditions regarding these accessories, please contact an authorised MITSUBISHI MOTORS dealer. Some equipment may vary by market. Please consult your local MITSUBISHI MOTORS dealer/distributor for details.

# FUNCTIONALITY

We design our accessories to improve vehicle functionality and meet regional requirements, whilst also considering how they work with advanced safety features.

VARIATIONS





Leather



Leather

[ 2WD ] 6MT / 6AT [ 4WD ] 6MT



**DOUBLE CAB** 

**DOUBLE CAB** 

[2WD] 6MT/6AT

GT





Fabric (with Stitch)



Vinyl

DOUBLE CAB GLX [2WD] 6MT



MEDIAGA



SINGLE CAB

[4WD] 6MT/6AT

GL

Image shows MT model

Image shows AT model (2WD)

Image shows MT model (4WD)



Yamabuki Orange Metallic [M14]



Graphite Gray Metallic [U28]



Blade Silver Metallic [U33]



Grap [U2



Red Solid [P63]



Deep Bronze Metallic [C17]



White Diamond [W85]



Impulse Blue Metallic [D23]



Jet Black Mica [X37]



White Solid [W19]

Leather



Vin

Fab (wit

Lea



Fabric (with Stitch)



Vinyl

Note: Colours shown may differ slightly from actual colours due to printing process. Please consult your local MITSUBISHI MOTORS dealer/distributor for actual colours. Leather seats include synthetic leather on the sides, rear, partial seating surfaces and head restraint (also on rear centre armrest sides, door armrests and door trim, etc.). Some equipment may vary by market. Please consult your local MITSUBISHI MOTORS dealer/distributor for details.

	Single cab	Double cab
Yamabuki Orange Metallic [M14]		
Graphite Gray Metallic [U28]		
Blade Silver Metallic [U33]		
Red Solid [P63]		
Deep Bronze Metallic [C17]		
White Diamond [W85]		
Impulse Blue Metallic [D23]		
Jet Black Mica [X37]		
White Solid [W19]		

	Single cab	Double cab
ıyl		
bric ith Stitch)		
ather		

# STANDARD and OPTIONAL EQUIPMENT

Models		GL	GLX	GLS	1
Drivetrain and Chassis	s				
2WD Easy Select 4WD					
Super Select 4WD-II					
Rear differential loci					
(without limited slip	differential)				
Front suspension (Double wishbone wi	ith coil spring)				
Rear suspension	Normal type				
Elliptic leaf spring	Heavy duty type				
	brake, 2-pot (Diameter: 290mm)				
Front ventilated disc Rear drum brake (11.	brake, 2-pot (Diameter: 320mm)				
Tyre and Wheel	205R16C 8PR 110/108R with 16-inch steel wheels (Silver) Spare: 205R16C 8PR 110/108R + 16-inch steel wheel (Silver)				
	265/70R16 (All-season tyre) with 16-inch alloy wheels (Silver) Spare: 265/70R16 (All-season tyre) + 16-inch alloy wheel (Silver)				
	265/65R17 (All-season tyre) with 17-inch alloy wheels (Silver) Spare: 265/65R17 (All-season tyre) + 17-inch alloy wheel (Silver)				
	265/60R18 (All-season tyre) with 18-inch alloy wheels (Silver) Spare: 265/60R18 (All-season tyre) + 18-inch alloy wheel (Silver)				
Driving Performance					
Drive Mode					
Active Yaw Control [ Hill Start Assist [HSA					
Exterior	, J				
Windscreen glass					
(Laminated glass wit					
Front bumper	Material black				
Front bumper garnish	Colour-keyed				
Front fog light bezel					
Front grille	Material black				
-	Colour-keyed				
Wiper	Front windscreen variable intermittent wiper (2-speed) Rain-sensing windscreen wiper				
Windscreen washer					
Rear window defogg					
Side step	Material black				
	Silver painted				
Side door garnish (M					
Outer door handle	Material black				
Door missor	Chrome Electrically adjustable				
Door mirror	Electrically adjustable Power folding Material black				
Deer bedy month	Chrome				
Rear body guard fran Rear bumper	ine				
Rear spoiler					
"CLEAN DIESEL" badg	je				
Rear gate handle	Bar type				
	Pull-up type				
	Colour-keyed				
Rear gate lock	Chrome				
Cargo bed	Outer hook x 12				
	Inner hook x 4				
Towing hook (Front)					
Cockpit					
Multi-information	3.5-inch display				
display	7-inch colour LCD				
	heel (3-spoke type)				

	■ Standard	🗆 Optio	onal -	- Not av	ailable
Models		GL	GLX	GLS	GT
Cockpit					
Tilt and telescopic st	-				
Gearshift knob Gearshift lever boot	Leather-wrapped				
Parking brake lever	Synthetic leather with stitch				
Release switch	Material black Chrome				
Seat					
Seat material	Vinyl				
	Fabric with stitch				
Driver cent	Leather				
Driver seat	Manual adjustable seat (Sliding, reclining) Manual adjustable seat (Sliding,				
	reclining, single-height)				
	Power seat (Sliding, reclining, double-height, lumbar support)				
Passenger seat	Manual adjustable seat (Sliding, reclining)				
Seatback pocket with	n multiple pockets				
Front seat height adj					
Rear centre armrest (	with cup holder)				
Interior Instrument panel	Material black				
accent	Synthetic leather			_	
	wrapped with stitch				
Upper glove box	without lid			_	
	with lid				
Lower glove box Floor console	Material black			-	
FIOUI CUIISULE	Colour-keyed			_	
Floor console box	with lid				
	with lid (Synthetic leather)				
Cup holder for floor o	console x 2				
Central door locking	system				
	natic central door lock				
Child safety lock					
Remote keyless entry Keyless Operation Sys					
Inner door handle	Material black			_	
	Satin chrome				
Front door trim	Synthetic leather insert without stitch				
	Synthetic leather insert with stitch				
Front door armrest	Material black				
	Synthetic leather without stitch				
	Synthetic leather with stitch				
	n panel (Material black)				
Driver side door powe (Auto up/down and a					
Passenger side and r (Up and down)	ear door power window switch				
Key-off timer function	in				
Room light	Front (Bulb)				
Front man light (Dulk	Rear (Bulb)				
Front map light (Bulb Sunglass pocket	)				
Floor carpets	Vinyl			_	
	Needle punch				
Sunvisor x 2	Vanity mirror with lid and ticket holder (Driver's side)				
	Vanity mirror with lid (Passenger's side)				
Dimming rearview mi					
Switch with illuminat					
Air Conditioner					
Manual air conditioni	-				
Automatic air conditi					
Dual-zone automatic Rear air circulator	air conditioning				

							Standard	🗆 Optio	onal –	Not av	ailable
Models		GL	GLX	GLS	GT	Models		GL	GLX	GLS	GT
Safety and Security						Lighting and Visibility					
Mitsubishi Motors	Forward Collision Mitigation			_		Stop light	Bulb				
Safety Sensing [MMSS]	system [FCM] with pedestrian detection						LED				
	Blind Spot Warning [BSW] with					Tail light	Bulb				
	Lane Change Assist [LCA]						LED				
	Rear Cross Traffic Alert [RCTA]					Rear turn signal (Bull					
	Automatic High Beam [AHB]					Rear combination light	Bulb			_	
Active Stability and T	raction Control [ASTC]						LED				
Emergency Stop Sign	al system [ESS]					Back-up light (Bulb)					
Brake override syster	n					License plate light (B					
Anti-lock Braking Sys	stem [ABS]					LED high-mount stop	blight			_	
Electronic Brake forc	e Distribution [EBD]					Welcome light					
Brake assist system						Coming home light					
Parking sensor (Front	t and rear)					Convenience					
Immobiliser						12V power outlet	Floor console				
Passive safety	SRS airbag (Driver, Passenger,						Instrument panel				
	Knee (Driver))					USB port for charging	g x 2 (Rear console)				
	SRS airbag (Driver, Passenger, Side (Front), Curtain (Front and					Rearview camera					
	rear), Knee (Driver)) Passenger SRS airbag cut-off					[MOD]	r with Moving Object Detection				
	switch (Manual)					Hands-free phone					
	Front 3-point seatbelt with			_		Microphone					
	Emergency Locking Retractor					Wireless charger					
	[ELR]					USB charging outlet	x 2				
	Double pretensioner (Driver) and pretensioner (Passenger)					Tool set (Simple set,	wheel nut wrench) and Jack				
	Height-adjustable front seatbelt anchor					Accessory Multifunction global	display audio				
	Rear seat 3-point seatbelt with ELR					with 10-inch display Floor mat	Rubber type				
	ISO-FIX child restraint seat anchor and tether anchor						Needle punch				
	Front x 1 Rear x 2										
Navigation and Audio	Redi X Z										
	play Audio [SDA] navigation										
Speaker	2-speaker										
- peaker	4-speaker										
	6-speaker										
Hands-free phone an											
Steering wheel audio											
Lighting and Visibility						WARNING					
Halogen headlight							ntable pacemakers or implantable ca	rdiover	ter-def	ibrillato	rs
LED headlight (High/	low beam)						e Keyless Operation System.		<i></i>		
Auto light system wi							es used in the Keyless Operation Systeme ble pacemakers or implantable cardic				
LED Daytime Running	a lamps [DRL]					<ul> <li>Individuals using other elements</li> </ul>	ectro-medical apparatuses should ch	eck wit	h the m	nanufac	
Front turn signal (Bu	lb)						m the effect of the electromagnetic electromagnetic waves may affect th				yless
Side turn signal	Bulb type on fender										
	LED on door mirror						ry" category are MITSUBISHI MOTORS	Genuin	e Acces	sories	
Position (Clearance)	Bulb					fitted at factory. •These accessories are not	covered by the vehicle warranty and	are sul	oject to		
light	LED					the conditions of the acce	essory warranty.				
Front fog light (LED)						<ul> <li>For warranty conditions re MITSUBISHI MOTORS deale</li> </ul>	egarding these accessories, please co or	ntact a	n auth	orised	

NOTES	ON	SMARTPHONE-LIN

- Google, Google Assistant, Android, Android Auto and other related marks are trademarks of Google LLC.
   iPhone, Siri and Apple CarPlay are trademarks of Apple Inc., registered in the U.S. and other countries.
   Android Auto requires the Android Auto app on Google Play and an Android compatible smartphone running Android<sup>™</sup> 5.0 Lollipop or higher.
   Apple CarPlay requires an iPhone with iOS 8 or higher.
   Despite the expansion of supporting countries, Android Auto and Apple CarPlay are NOT available in some markets. Please check the website for the latest information on availability.
   Android Auto: https://www.andpole.com/auto/#country-list
   Apple CarPlay: http://www.apple.com/auto/#country-list
   Apple CarPlay: http://www.apple.carplay

- #applecarplay-applecarplay

#### INK DISPLAY AUDIO

extenter is responsible for an extended price plan by the telecom carriers.
 Customer may be requested to subscribe for roaming services by the telecom carriers when using in other countries.

When using in other countries.
Not all smartphone Apps are compatible with Android Auto or Apple CarPlay.
For safety reasons, only compatible apps are available in this Smartphone-link Display Audio.
Some features or apps may not be available for all countries or all areas.
The images used may not reflect the latest updates.

https://www.mitsubishi-motors.com/en/products/SDA/

# **TECHNICAL SPECIFICATIONS**


					Doubl	e Cab			Single	e Cab	
					2WD				4WD		
			GLX	GLS	GT	GLS	GT	GLS	GL	GL	
			LB2TJJDJCRU	LB2TJJHJCRU	LB2TJJGJCRU	LB2TJLHJCRU	LB2TJLGJCRU	LC2TJJHJCRU	LC2TEJUJCRU	LC2TELUJCR	
Dimension and Wei	ght										
Overall length		mm			5,3	20			5,2	65	
Overall width		mm				1,8	65				
Overall height		mm			1,7	95			1,7	65	
Wheelbase		mm				3,1	30				
Min. ground cleara	ance	mm			22	22			20	03	
Cargo floor heigh	it	mm			82	20			80	00	
Minimum turning	, radius	m				6	.2				
Kerb weight		kg	1,865	1,895	1,910	1,890	1,900	2,000	1,8	80	
Gross vehicle wei	ight	kg				3,0	000				
Seating capacity						5			2	2	
Fuel System											
Injection system					Elec	trical Fuel Inje	ction (Common	rail)			
Fuel tank capacit	y	litres				7	5				
Engine											
Туре				2.4-litre inline	e-4 intercooled	l turbocharged	DOHC diesel w	ith Auto Stop	and Go (4N16)		
Displacement		сс				2,4	42				
Bore x stroke		mm				86.0 >	(105.1				
Compression rati	0					15	i.2				
Max. output (DIN	NET)	kW/rpm	135 / 3,500								
Max. torque (DIN		N•m/rpm	430 / 2,250-2,500								
Transmission											
Туре				6MT		6/	AT	61	мт	6AT	
Gear ratio	1st			4.692		3.6	00	4.6	592	3.600	
	2nd			2.482		2.0	190	2.4	482	2.090	
	3rd			1.474		1.4	88		474	1.488	
	4th			1.000			00		000	1.000	
	5th			0.778			587		778	0.687	
	6th			0.661			80		661	0.580	
	Reverse			4.666			32		566	3.732	
	Transfer	High			-				000	1.000	
	ranster	Low			-				566	2.566	
	Final	2011		3.692		40	90		592	4.090	
Performance				5.672				5.0			
Max. speed*		km/h			18	30			17	°0	
Steering		, 11			10					-	
Туре						Rack an	id pinion				
Suspension						Nock al	- p				
Front					Ind	ependent-wish	nbone, coil spri	nas			
Rear			Rigid leaf springs								
Brake						Rigid iea	. spinigs				
			(Diameter (Diameter 320mm) (Diameter					ed disc			
Front			(Diameter 290mm)		(D	lameter 520m	11/		(Diamete	1 29011111)	
Front Rear					(D		LT drum		(blamete	1 29011111)	
					(D				(Diamete	1 29011111)	


\* Measured by MITSUBISHI MOTORS CORPORATION. Your actual mileage will vary depending on how you drive and maintain your vehicle. Note: These specifications are subject to change without notice. Please consult your local MITSUBISHI MOTORS dealer/distributor for detailed specifications.


Note: +ASTC: The control capabilities of Active Stability and Traction Control [ASTC] are supplemental only. Please drive safely and never rely solely on these functions whilst (HSA) is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. Your vehicle may move backwards if the brake pedal is heavily loaded, or if the road is very steep or slippery. This function is not designed to keep the vehicle stopped in place on uphill slopes for more than 2 seconds. Do not substitute for safe driving. Never rely solely on this function whilst driving on steep roads. When driving on slippery roads such as muddy, icy, or unpaved roads, your vehicle will not allow you to stay at a certain low speed, which may lead to a serious accident. **•FCM**: The detection and control capabilities of Forward Collision Mitigation system [FCM] are supplemental only and do not prevent collisions in every situation. FCM may not detect vehicles and pedestrians in some situations. Auto braking is activated for a car ahead when your vehicle is travelling at a speed of above approx. 10 km/h and for a pedestrian ahead at approx. 10 km/h to 80 km/h. Since FCM has no function to maintain braking, the brake is released approximately 2 seconds after stopping. To prevent the vehicle from rolling thereafter, the driver may have to hold the brake pedal down. In some cases, FCM may not function if the driver takes actions for accident avoidance through steering or acceleration operation. **LDW**: Lane Departure Warning [LDW] is not designed to lessen risks associated with not looking ahead carefully (attention drawn to something on the side, absentmindedness, etc.) or poor visibility caused by bad weather etc. Keep steering your vehicle correctly and drive safely. The system may not be able to detect the lane correctly in some conditions.


# DIMENSIONAL VIEWS

DOUBLE CAB (GT)













## SINGLE CAB (GL)









All measurements in millimetres

-ACC: The detection and control capabilities of Adaptive Cruise Control [ACC] are supplemental only. ACC may not be activated in some situations. This system may not correctly detect the actual situation depending on the type of vehicle in front and its conditions, the weather conditions, and the road conditions. Additionally, the system may be unable to decelerate sufficiently if the vehicle in front applies the brakes suddenly or another vehicle cuts into your path, so your vehicle approaches the front vehicle. The operating speed range is approx. 25 km/h to 144 km/h. •BSW/LCA: The detection and control capabilities of the Blind Spot Warning system [BSW] / Lane Change Assist [LCA] are supplemental only and do not warn you of vehicles in blind spots in every situation. Please do not rely solely on this system whilst driving. BSW/LCA may not operate normally in some cases, depending on traffic, weather, road surface conditions and the presence of obstructions. •RCTA: Do not rely solely on Rear Cross Traffic Alert [RCTA], which may not detect all moving vehicles in certain conditions. •AHB: This system activates at a speed of approx. 40 km/h or more and deactivates at lower speeds.

information. If you have any questions, please consult your local MITSUBISHI MOTORS dealer/distributor for details

Drivers are fully responsible for their own safe driving. Please drive safely and do not rely solely on these systems whilst driving. Please see the owner's manual for additional